

INDIVIDUAL. EXCLUSIVE. SAFE.

# GUTMANN ALLIGNO



DESIGN ALUMINIUM DOOR LEAVES FOR FRONT DOORS

BR 12|2017





40



---

# Individuality without compromise

The advantages of wood as a natural material are inimitable. Wood creates a homely ambience in the interior that adapts to any style. It also has a regulating effect on the indoor climate at any time of year. In combination with an aluminium cladding, these advantages complement those of the aluminium. They impress with their timeless design and design versatility.

Front door leaves from Gutmann fulfil all requirements and also offer maximum design freedom. No matter how individual and unusual your wishes may be, you will find the right system for your building with us. In almost every colour, every conceivable shape and for every purpose, you can realise your own ideas without having to compromise.

Flush and offset front door panels from Gutmann harmoniously combine form and function. A modern look and a wealth of design options give your front door a personal touch.



## ADVANTAGES.

Flush or offset view of the front door.



Frame and door leaf in matching colours.



9 standard models.  
Customised design on request.



2-leaf door leaf systems in the range.



The variety of shapes of the light cut-outs offers maximum design freedom.



Almost unlimited choice of colours.





## Models



ALLIGNO GTB 10



ALLIGNO GTB 20



ALLIGNO GTB 30



ALLIGNO GTB 40




## What does your dream door look like?


A dream home knows no compromises. However, to become a true home, certain factors such as functionality, design, or energy efficiency are decisive for the builder when making decisions. Environmental influences such as heat, cold, UV radiation and water affect the lifespan of a house. Therefore, doors must meet the highest quality standards.

The entrance door leaves from GUTMANN fulfil these requirements and offer you maximum design freedom thanks to a wide range of design variants and surfaces. Give your entrance area an exclusive and individual touch.

We offer aluminum entrance door leaves for your dream home - available in nearly any colour you desire.




ALLIGNO GTB 50




ALLIGNO GTB 60



ALLIGNO GTB 70



ALLIGNO GTB 80



ALLIGNO GTB 90



Standard aluminium front door leaf  
**ALLIGNO GTB 10**

Surface:

Tro6-FMOG, trend green structural (Fig. right)

5803E9006A10-IGP, silver (Fig. above)

Version: DIN right | DIN left

Optionally with | without handle, brushed stainless steel


For additional designs and colours, see page 24 ff.



ALLIGNO GTB 10 is a simple, classic front door leaf model. It impresses with its flat and elegant surface and draws the viewer's eye directly to the colour surface used. Glass cut-outs and grooves are completely omitted here.

Thanks to its very elegant design, the door complements all architectural styles, from country house style to modern architecture.

## ALLIGNO GTB 10





Standard aluminium front door leaf  
**ALLIGNO GTB 20**

Surface:  
5803E9006A10-IGP, silver (fig. right)  
TG 29-30402, red (fig. above)

Version: DIN right | DIN left, each with grooves

Optionally with | without handle, brushed stainless steel  
Optionally with stainless steel inlays


For additional designs and colours, see page 24 ff.



High-quality and modern front door leaf, made even more exclusive by the pre-milled grooves and stainless steel inlays, which can be inserted as an option.

The Alligno GTB 20 model is clear and offers the observer a simple elegance. There are no limits to the variety of colours and you can give your home your own touch.

## ALLIGNO GTB 20





Standard aluminium front door leaf  
**ALLIGNO GTB 30**

Surface:

RAL 7035, light grey (fig. right)

5903E71386F30-HWF, dark grey (fig. above)

Version: DIN right | DIN left, each with grooves

Optionally with | without handle, brushed stainless steel

Optionally with stainless steel inlays

For additional designs and colours, see page 24 ff.



A clear look and straightforward design. The horizontal decorative millings combine to create a harmonious overall appearance and make your front door the focal point. GUTMANN ALLIGNO GTB 30 has an exclusive style and enables individual colour design options. You can achieve a visual enhancement by inserting stainless steel inlays, which are available as an option.

## ALLIGNO GTB 30





Standard aluminium front door leaf  
**ALLIGNO GTB 40**

Surface:  
5903E71386F30-HWF, dark grey (fig. right)  
RAL 7045, telegrey 1 (fig. above)

Version: DIN right | DIN left

Optionally with | without handle, brushed stainless steel

For additional designs and colours, see page 24 ff.



Set accents. A harmonious and contemporary look characterises the Alligno GTB 40 model. A vertical glass cut-out bathes the entrance area of your home in soft light and lends it transparency and lightness without neglecting its thermal properties. As with the entire ALLIGNO series, the virtually unlimited range of surface finishes and colours leaves nothing to be desired.

## ALLIGNO GTB 40





Standard aluminium front door leaf  
**ALLIGNO GTB 50**

Surface:

RAL 3003, ruby red (fig. right)

TG 29-90147, similar to RAL 9007 fine structure metallic (fig. above)

Version: DIN right | DIN left




Optionally with | without handle, brushed stainless steel

For additional designs and colours, see page 24 ff.



GUTMANN ALLIGNO GTB 50 is characterized by five square light cut-outs, centered from top to bottom. The light cut-outs make the interior appear bright and friendly. The arrangement of the light cut-outs creates a friendly geometry for the observer.

## ALLIGNO GTB 50





Standard aluminium front door leaf  
**ALLIGNO GTB 6o**

Surface:

TG 29-30402, red (fig. right)

TG 29-71334, anthracite gray (fig. above)

Also available in BICOLOR

Version: DIN right | DIN left

Optionally with | without handle, brushed stainless steel

Optionally with grooves, 10 mm wide

For additional designs and colours, see page 24 ff.



Set individual accents with ALLIGNO GTB 60. The design is elegant and fits perfectly with a modern house entrance. The optional use of grooves creates individual scope for design, which is further enhanced by the use of BICOLOR.

## ALLIGNO GTB 60





Standard aluminium front door leaf  
**ALLIGNO GTB 70**

Surface:

TG 29-71334 | RAL 9016 - BICOLOR (fig. right)

5803E9006A10-IGP | TG 29 71334 - BICOLOR (fig. above)

Also available in BICOLOR

Version: DIN right | DIN left

Optionally with | without handle, brushed stainless steel


Optionally with grooves, 10 mm wide

For additional designs and colours, see page 24 ff.



The BICOLOR colouring makes ALLIGNO GTB 70 an eye-catcher. Whether you have a rendered or clinker brick façade, this door leaf will enhance your entrance. The four square light cut-outs and the optional use of grooves give your front door that certain something and make it a high-quality design object.

## ALLIGNO GTB 70





Standard aluminium front door leaf  
**ALLIGNO GTB 80**

Surface:

YX355F8037509 MARS 2525 FS matt | TG 68 60116 - BICOLOR (fig. right)

RAL 7035, light grey (fig. above)

Also available in BICOLOR

Version: DIN right | DIN left

Optionally with | without handle, brushed stainless steel

Optionally with grooves, 10 mm wide



For additional designs and colours, see page 24 ff.



ALLIGNO GTB 80 adapts to any house style. It is prestigious and demonstrates your good taste. The front door also fulfils high security requirements and helps to save energy with its high thermal insulation values.

The horizontal light cut-outs allow easy views and illuminate your entrance area. Thanks to the option of using two colours on the aluminium surface, you can create a different look depending on your choice of colour. Whether young and dynamic, or elegant and classic.

## ALLIGNO GTB 80





Standard aluminium front door leaf  
**ALLIGNO GTB 90**

Surface:

TG 29 90147 | TG 29 71334 - BICOLOR (fig. right)

5803E9006A10-IGP | 5903E71386F30-HWF - BICOLOR (fig. above)

Also available in BICOLOR

Version: DIN right | DIN left

Optionally with | without handle, brushed stainless steel

Optionally with grooves, 10 mm wide


For additional designs and colours, see page 24 ff.



Aesthetics, security and function as well as a special look - these are the characteristics of the ALLIGNO GTB 90 front door leaf.

A discreet vertical glass cut-out and the BICOLOR surfaces make this model unique. It blends in perfectly with a modern façade and offers a wide range of colour options.

## ALLIGNO GTB 90





## ALUMINIUM & WOOD

### WOOD AND ALUMINIUM – THE PERFECT COMBINATION

With an aluminium cladding from GUTMANN, the desire for an individual front door can be realised without compromise. An almost unlimited selection of colours and shapes leaves plenty of scope for creativity and gives the front door a personal touch. Timber and aluminium also complement each other perfectly. The aluminium door leaf provides maximum protection on the outside and wood creates a warm, cosy ambience on the inside. The aluminium front door leaves are perfectly matched to the GUTMANN timber-aluminium systems.



### INSIDE VIEW

As a tried and tested, environmentally friendly building material, wood is highly resilient and stable and creates a cosy atmosphere in entrance areas and living rooms.



### OUTSIDE VIEW

Aluminium is a particularly high-quality material for sophisticated front doors. Aluminium front door leaves are robust and combine functionality and design. They also offer excellent thermal and sound insulation and maximum security. High-quality, exclusive surfaces leave nothing to be desired in terms of colour.





## COLOURFUL ACCENTS

Colours and shapes form a harmonious unit. The colour scheme supports the shape and accentuates it particularly well. In contrast, the effect of the colour is emphasised and highlighted by a successful shape.

The right choice of colour is therefore a decisive criterion in the design of buildings. Gutmann offers you countless colour combinations and variations. All RAL, NCS, decorative and special colours are available. In this way, windows, doors and façades can be precisely colour-coordinated with their surroundings.

- ⇨ RAL standard colours and DB colours, according to GUTMANN colour fan
- ⇨ Decoral colours/wood decors
- ⇨ Anodised colours
- ⇨ AOC colours (reproduced anodised colours, coated)
- ⇨ Micro-polished surfaces
- ⇨ Trend colours

## GUTMANN PREMIUM COLOURS

Be inspired by the GUTMANN PREMIUM COLOURS and give your front door a unique, special look. Whether elegant silver, warm red, soft dark grey or rusty iron - there is something for every taste with these trend colours from GUTMANN. Find your favourite shade or combine it with another colour to create a bicolour look.





## EXTRAS

### GUTMANN STAINLESS STEEL HANDLE

The overall impression is only right if the door fitting and door leaf speak the same design language. The GUTMANN stainless steel handle is therefore perfectly matched to the aluminium door leaves for designer front doors.

The stainless steel handle impresses with its high-quality surface. The timeless shape in combination with the exquisite stainless steel look stands for elegance and value.

---

Functionality and design give your front door a unique, unmistakable look. And with the right accessories, you can set additional accents. Whether simple, elegant or exclusive - realise your living wishes.

Customised to your requirements with haptically pleasant controls for convenient operation. Or create your own "look" with milled grooves and stainless steel inlays.

GUTMANN ALUMINIUM FRONT DOOR LEAVES -

INDIVIDUAL. EXCLUSIVE. SAFE.

## STAINLESS STEEL INLAYS

Upgrade your front door. Depending on the model, the grooves can be flush-fitted with stainless steel inlays. These design elements made of high-quality and easy-care stainless steel sheet - brushed - give your front door an individual touch.

## SPECIAL MILLING

Special milling for profile cylinders, fingerprinters or handle holes can be realised on request. You can find more details on this in our accompanying technical documentation.



## MAINTENANCE

### STAINLESS STEEL

Stainless steel does not rust due to its composition. Nevertheless, environmental influences, contact with ferrous substances or other soiling can cause rust film to form on the surface. This can be removed with special stainless steel cleaners.

It is advisable to maintain stainless steel regularly to protect it from surface soiling.

---

Our products are designed for a long service life. If you follow the care instructions below, your front door will retain its good appearance even after many years of daily use.

## ALUMINIUM

GUTMANN ALUMINIUM DOOR SHEETS are coated with resistant, weatherproof coating materials in various lacquer systems. These are extremely robust and retain their attractive appearance for years.

Nevertheless, surface soiling from dust and other airborne substances is unavoidable. To ensure that you can enjoy your front door panel for a long time, we recommend cleaning it regularly with a damp cloth.

Do not use solvents or abrasive cleaners, as these can damage the surface.

## WOOD

As a natural product, wood has different colours and grains.  
Wood is subject to a natural process of change.

The colour of the wood can be refreshed using commercially available furniture oils.



GUTMANN



**INDIVIDUAL. EXCLUSIVE. SAFE.**

#### **GUTMANN Bausysteme GmbH**

Nuernberger Str. 57 | 91781 Weissenburg, Germany  
T +49 (0) 9141-992-0 | F +49 (0) 9141-992-212  
[www.gutmann-bausysteme.de](http://www.gutmann-bausysteme.de) | [info@gutmann.de](mailto:info@gutmann.de)

#### **GUTMANN ALUSWISS AG**

Chaltenbodenstr. 16 | 8834 Schindellegi, Switzerland  
T +41 (0) 58-310-1210 | F +41 (0) 58-310-1211  
[www.gutmann-aluswiss.com](http://www.gutmann-aluswiss.com) | [info-ch@gutmann-group.com](mailto:info-ch@gutmann-group.com)

#### **GUTMANN Middle East LLC**

Dubai Investment Park 1 | Warehouse No. 4  
P.O. Box 54563 | Dubai, Vereinigte Arabische Emirate  
T +971 (4) 88 5333-6 | F +971 (4) 88 5333-9  
[www.gutmann.ae](http://www.gutmann.ae) | [info@gutmannllc.ae](mailto:info@gutmannllc.ae)